

PHOTONICS spectra®

WHITE PAPERS & APPLICATION NOTES



Antireflection Coatings for Space Applications

P. Kupinski and J. Watson

Space can be a harsh environment for optical coatings. Optimax has successfully provided anti-reflection (AR) coatings for a wide range of space applications. This paper outlines the results of testing done to qualify Optimax AR coatings for Space.

I. Introduction

In Space applications, optical coatings can be exposed to vacuum, extreme temperatures, high intensity radiation and ionized gas. In the course of providing optics and coatings for Space applications, Optimax has been involved in several rounds of qualification testing. The following is a brief description of the tests performed for these programs.

II. Facility and Process

All Optimax coating operations are performed in a cleanroom. Optics are cleaned prior to coating in Class 1000 room under Class 100 benches. The cleaning and coating processes used have demonstrated performance on thousands of surfaces in high energy laser applications. Optimax coats optics using reactive evaporation and plasma ion assisted deposition (PIAD). Coatings for Space applications are always applied in clean, cryogenically pumped chambers. The coatings tested in this report were deposited using reactive evaporation. The processes used were tailored to provide high purity

films ($\sim 3\text{ppm}$ absorption at 1064nm) that are spectrally stable as both a function of time and environment.

III. Spectral Stability

Broadband AR coatings were tested for change in performance when exposed to vacuum and -80°C . Testing was performed on six different coated glass types¹ by an independent laboratory (Slica Technologies, Inc.). None of the AR coatings tested showed a significant change in spectral performance when moved from ambient to simulated Space vacuum (Figure 1).




Figure 1. Optimax BSAR reflectivity at 400nm/ 23°C (blue) and vacuum/ -80°C (red).

FIG. 1 ¹ Slica Technologies, Inc. (Slica Technologies, Inc. is a registered trademark of Slica Technologies, Inc.)

Antireflection Coatings for Space Applications

Space can be a harsh environment for optical coatings. Optimax has successfully provided antireflection (AR) coatings for a wide range of space applications. This paper outlines the results of testing done to qualify Optimax AR coatings for Space.

[DOWNLOAD WHITE PAPER](#)



More White Papers from This Sponsor

- [Pushing Freeform Optical Manufacturing: Fabricating Optimax’s Largest Freeform Component](#)
- [Metrology for the Manufacture of Freeform Optics](#)
- [Designing and Selecting an Optical Cleaning Process](#)

Visit [Photonics Media](#) to download other white papers and learn more about the latest developments in lasers, imaging, optics, biophotonics, machine vision, spectroscopy, microscopy, photovoltaics and more.

www.photonics.com/WhitePapers.aspx

We respect your time and privacy. You are receiving this email because you are a Photonics Spectra magazine subscriber. You may use the links below to manage your subscriptions or contact us.

Questions: info@photonics.com

[Unsubscribe](#) | [Subscribe](#) | [Subscriptions](#) | [Privacy Policy](#) | [Terms and Conditions of Use](#)

Photonics Media, 100 West St., PO Box 4949, Pittsfield, MA 01202-4949

© 1996 - 2024 Laurin Publishing. All rights reserved. Photonics.com is Registered with the U.S. Patent & Trademark Office. Reproduction in whole or in part without permission is prohibited.



LAURIN PUBLISHING

PHOTONICS MEDIA