

PHOTONICS spectra

PRODUCT SPOTLIGHT



SWIR Telecentric Lens for 1.1"



FEATURES

Available for SWIR image sensor 1", InGaAs Sensor

Special design to transmit SWIR 700 ~ 2000 nm

Possible to capture differences and defects that cannot be seen in visible ray

1.0x/2.0x lenses have adjustable iris, possible to adjust depth of field

Models: FTV10C-110SW 1.0x, FTV20C-110SW 2.0x, FTV30C-110SW 3.0x, FTV40C-110SW 4.0x

Download the data sheet for more information.

[Download Now](#)

AL·TRON

We respect your time and privacy. You are receiving this email because you are a Photonics Spectra magazine subscriber. You may use the links below to manage your subscriptions or contact us.

Questions: info@photonics.com

[Unsubscribe](#) | [Subscribe](#) | [Subscriptions](#) | [Privacy Policy](#) | [Terms and Conditions of Use](#)

Photonics Media, 100 West St., PO Box 4949, Pittsfield, MA 01202-4949

© 1996 - 2020 Laurin Publishing. All rights reserved. Photonics.com is Registered with the U.S. Patent & Trademark Office. Reproduction in whole or in part without permission is prohibited.



LAURIN PUBLISHING

PHOTONICS MEDIA